



Survey Methodology, Respondent Demographics, and Glossary

For additional information, please contact Jeanette Janota, Surveys & Analysis Team American Speech-Language-Hearing Association Rockville, MD 20850 800-498-2071, Ext. 8738 jjanota@asha.org

Contents

Executive Summary1
Survey Methodology2Stratified Random Sample2Experimental Design2Responses4Research Question4Response Rates6Data Entry6
Demographics7Respondents Versus Population7Primary Employment Facility8Excluding Other8Employment Status8Years of Experience8Highest Degree9Primary Employment Function9Salary Basis9Geographic Region10Population Density10
Glossary11Employment Facility11Employment Function11Employment Status11Population Density11Regions of the Country12Response Rate13Measures of Central Tendency13
Survey Reports
Suggested Citation
Resources
Additional Information14
Thank You14
Figures Figure 1: Salary Basis9

Figure 2: Geographic Region	10
Figure 3: Population Density	10

Tables

Table 1: Sampling Design	2
Table 2: Counts of Returned Surveys (unweighted)	
Table 3: Participation in Three Arrangements (unweighted)	
Table 4: Keyed-in Responses (unweighted)	5
Table 5: Response Rate, by Experimental Design	6
Table 6: Comparison of Respondents With Population	7
Table 7: Primary Employment Facility	8

Executive Summary

The American Speech-Language-Hearing Association (ASHA) conducted a survey of speech-language pathologists (SLPs) in the spring of 2021. We designed the survey to provide information about health care—based service delivery and to update and expand information gathered during previous *SLP Health Care Surveys*. We have presented the results in a series of reports.

We drew samples from six types of health care facilities: general medical, Veterans Affairs (VA), military, long-term acute care (LTAC), or university hospitals; home health agencies or clients' homes; outpatient clinics or offices; pediatric hospitals; rehabilitation (rehab) hospitals; and skilled nursing facilities (SNFs).

Highlights

- The survey was conducted electronically, using Survey Monkey.
- The response rate was 17.5%.
- 41% of SLPs in the experimental group said that they provided telepractice.
- 72% of the respondents were employed full time.
- Regarding years of experience, the median was 14; the mean was 17.
- 2% had received a doctoral degree.
- 87% were primarily clinical service providers.
- 54% received an hourly wage.
- 40% worked in the South.
- 43% were employed in suburban areas.

Survey Methodology

Stratified Random Sample

We fielded the ASHA 2021 SLP Health Care Survey to a stratified,
random sample of 10,000 ASHA-certified SLPs who were
employed full time or part time in health care settings in the United
States. We stratified the sample by type of facility, drawing
disproportional random samples from each facility and
oversampling small groups like pediatric hospitals (see Table 1).

Table 1: Sampling Design					
Facility Population Sa					
General medical, Veterans Affairs, military, long-term acute care, university hospital	10,663	1,750			
Home health agency or client's home	8,369	1,625			
Outpatient clinic or office	17,286	2,250			
Pediatric hospital	2,324	1,125			
Rehabilitation (rehab) hospital	4,488	1,250			
Skilled nursing facility (SNF)	13,061	2,000			
Total	56,191	10,000			

The biennial Health Care Survey has been a paper-and-pencil survey since 2005. Because the 2021 edition was scheduled during the COVID-19 pandemic, we used Survey Monkey to field it electronically. Fielding dates were May 20, May 27, and June 3. As sample members responded, they were removed from subsequent contacts.

As an incentive, ASHA provided a 1-year subscription to the ASHA Learning Pass (valued at approximately \$144) for one participant who was randomly selected from the 1,213 SLPs who asked to be included in the drawing.

Experimental
DesignASHA considers terms such as schools, universities, hospitals,
clinics, and SNFs to be facility types, whereas terms such as
private practice, early intervention, and telepractice are
arrangements. Members may have both a facility type and an
arrangement, but "facility type" and "arrangement" are not
combined into one descriptor. We find, however, that many ASHA
members do not make that distinction and include arrangements as
facility types, going so far as to write in private practice as their
facility instead of selecting the correct facility from a provided list.

This lack of distinction can result in misclassification of a member when analyses are conducted. For example, when crosstabs are run on salaries by facility, it is necessary that respondents be classified as a member of the correct facility type.

We designed an experiment to test whether asking SLPs about their employment arrangement *immediately before* asking about their facility type would decrease the likelihood of their keying in one of the arrangements in response to a question about facility. Therefore, we randomly assigned half of each of the sample members from each of the facilities (see Table 1) to an experimental group. They received an extra question that the control group did not receive. The question is as follows:

Identify whether any of your current work includes the three employment arrangements, below.

1	Private practice	Yes	No
2	Early intervention	Yes	No
3	Telepractice	Yes	No

The next question asked for their facility type, using this wording for the experimental group: You were selected for this survey because you are employed in one of the first six facilities, below, according to the ASHA member database. <u>Regardless</u> of how you responded to the previous question, select the type of <u>building</u> that best reflects where you work most of the time, recognizing that—for the purpose of this question *private practice, early intervention,* and *telepractice* are <u>not</u> types of facilities.

The wording for the control group excluded the phrase, *regardless* of how you responded to the previous question. The response options for both groups were identical:

- 1 General medical, Veterans Affairs (VA), military, long-term acute care (LTAC), or university hospital
- 2 Home health agency or client's home
- 3 Outpatient clinic or office
- 4 Pediatric hospital
- 5 Rehabilitation hospital
- 6 Skilled nursing facility (SNF)
- 7 I no longer work in a health care facility
- 8 I still work in a health care facility but have changed from a facility, above, to another type (other, specified)

Responses

Overall, the number of sample members who responded varied, depending on the criteria used for accepting a returned survey. A total of 1,867 surveys were returned, but 123 were eliminated from analysis of the experiment because respondents were on leave of absence (26), retired (46), or otherwise not employed (51), leaving 1,744 returned surveys. An additional 73 surveys were excluded from analyses of the substantive questions because respondents worked in schools, universities, or other non-health care facilities (see Table 2).

Table 2: Counts of Returned Surveys (unweighted)						
Disposition	Disposition Total Control Exp					
Fielded	10,000	5,000	5,000			
Raw data	1,867	932	935			
For experiment only	1,744	876	868			
Final, cleaned data	1,671	836	835			
Prize drawing entries	1,213	603	610			

Respondents in the experimental group—regardless of whether they were primarily clinical service providers and regardless of their employment status—were more likely to say that their work included telepractice than that their work included either of the other two arrangements (41%; see Table 3).

Table 3: Participation in Three Arrangements (unweighted)					
Arrangements % Total <i>n</i>					
Private practice	24	825			
Early intervention	29	820			
Telepractice	41	845			

Research Question

The question of interest is this: Will having the opportunity to identify private practice, early intervention, and telepractice before answering a question about their employment facility have an effect on the likelihood that SLPs will key in an arrangement when asked for a facility type?

Of the 197 SLPs in the experimental group who said Yes to the question about whether their current work included private practice as an arrangement, 9 also keyed in "private practice" as their primary employment facility compared with 10 from the control group (see Table 4).

Table 4: Keyed-in Responses (unweighted)				
Condition	Number who keyed in <i>Private</i> <i>Practice</i>	Number who keyed in <i>Early</i> Intervention	Number who keyed in <i>Telepractice</i>	Total number of responses keyed in
Experimental:				
Yes to private	9	1	2	31
practice				
Experimental: No				
to private	0	4	2	33
practice				
Experimental: No				
response to	0	0	4	8
private practice				
Experimental:				
Yes to early	3	5	2	26
intervention				
Experimental: No				
to early	3	0	2	33
intervention				
Experimental: No				
response to early	0	0	4	7
intervention				
Experimental:				
Yes to	5	5	6	47
telepractice				
Experimental: No	0	0	0	22
to telepractice	0	0	0	22
Experimental: No				
response to	0	0	0	3
telepractice				
Experimental	9	5	6	72
group—total	9) 3	0	12
Control group—	10	7	4	58
total	10	/	4	38

Of the 240 SLPs in the experimental group who said Yes to the question about whether their current work included early intervention as an arrangement, five individuals also keyed in "private practice" as their primary employment facility compared with seven individuals from the control group.

Of the 347 SLPs in the experimental group who said Yes to the question about whether their current work included telepractice as an arrangement, six also keyed in telepractice as their primary employment facility compared with four from the control group.

Seventy-two of the 868 SLPs in the experimental group keyed in a response to primary employment facility, 20 responses of which were *private practice, early intervention,* or *telepractice.* Fifty-eight of the 876 SLPs in the control group keyed in a response, 21 responses of which were *private practice, early intervention,* or *telepractice.*

Conclusion: The likelihood of keying in *private practice, early intervention,* or *telepractice* as a primary employment facility is no different for health care-based SLPs who had the opportunity to select those arrangements prior to selecting their facility type than it is for those without that option.

Response Rates

Members of the original sample who (a) had undeliverable mailing addresses, (b) had opted out of Survey Monkey surveys, or (c) were not currently employed in a health care facility were deleted from the calculation of the response rate. The net sample size was reduced from 10,000 to 9,544, resulting in a response rate of 17.5% (see Table 5).

Table 5: Response Rate, by Experimental Design				
Disposition	Total	Control	Experi- mental	
Original (gross sample size)	10,000	5,000	5,000	
Undeliverable mailing address	83	40	43	
Opt-out of Survey Monkey	157	80	77	
Ineligible: Retired, not employed	123	56	67	
Ineligible: Other reasons	93	49	44	
Net sample size	9,544	4,775	4,769	
Number of respondents	1,671	836	835	
Response rate	17.5%	17.5%	17.5%	

Data Entry

Data entry was completed automatically by the Survey Monkey application. The ASHA staff member with primary responsibility for the survey corrected or deleted erroneous responses.

Demo- graphics	Not only is it typically the case that some individuals who receive a survey do not complete it (unit nonresponse), but it is likewise true that some who return their surveys do not answer every question (item nonresponse) and, thus, do not qualify for inclusion in portions of a report. The survey originator may exclude these individuals from analyses because they did not answer a question at all or because their answer disqualified them (e.g., stating that they were employed part time when a particular analysis was limited to full-time employees). For example, 1,671 SLPs who were employed part time or full time in a health care facility responded to the survey, but we reported the way in which they were paid (i.e., annually, hourly, or per visit) for only 1,578 of them because 93 SLPs did not answer the question.			
Respondents Versus Population	The closer the match between survey respondents and the population of ASHA health care-based SLPs from which they were drawn, the more validity there is in generalizing from the sample to the population—that is, the more truth there is in saying that the people who answered the survey questions represent the broader group from which they were selected. Demographic variables that are present in both the membership database and the survey include primary employment function, highest earned degree, and region of the country. Primary employment facility also appears in both databases but is not included in the comparison because the survey sample was stratified by oversampling and undersampling that variable (see Table 1). Table 6 shows the comparison for the three remaining characteristics that were available from both the membership database and the survey.			
	Table 6: Compari	son of Res	pondents With	Population
	Characteristic		ASHA's Population	Survey Respondents
	Clinical service provide	er	86%	87%
	Doctoral degree		2%	2%
	Region of the country:	Northeast Midwest South West	18% 22% 43% 17%	19% 24% 40% 17%

Primary Employment Facility More respondents worked in outpatient clinics or offices than in any other type of facility (see Table 7). Because a disproportional random sample was drawn from each facility, this distribution does not reflect the distribution of SLPs within the Association.

	Table 7: Primary Employment Facility		
	Facility	Unweighted	Weighted
	General medical, Veterans Affairs, military, long-term acute care, university hospital	22%	18%
	Home health agency or client's home	16%	17%
	Outpatient clinic or office	26%	32%
	Pediatric hospital	8%	4%
	Rehabilitation hospital	10%	7%
	Skilled nursing facility	18%	21%
	Other health care facility	1%	1%
	reported working in an other facility Survey Reports only as part of the category of facility, because of the group of individuals.	total, not as a sep	parate
Employment Status	All of the SLPs whose responses were included in the analyses worked either full time (72%) or part time (28%). SLPs who worked in home health agencies or clients' homes were more likely than those in other types of facilities to work part time (39%), and SLPs in SNFs were more likely than SLPs in other types of facilities to work full time (83%; $p = .000$).		
Years of Experience	The median number of years of experience was 14, and the mean was 17. The median number of years ranged from 11 in rehab hospitals to 18 in home health agencies or clients' homes. The mean number of years ranged from 15 years in rehab hospitals to 20 years in home health agencies or clients' homes ($p = .000$).		


Highest Degree	Only 2% ($n = 28$) of the SLPs reported having received a doctoral degree. Too little data are available in some facility categories to test whether responses vary by facility type.		
Primary Employment Function	 In previous iterations of the ASHA Health Care Survey, respondents were asked to identify whether they were clinical service providers or administrators/supervisors. The 2021 Health Care Survey was the first one that expanded the function question from two response options to three. 87% of SLPs who were employed full- or part time were primarily clinical service providers. 10% were primarily administrators or supervisors who saw some patients. 3% were exclusively administrators or supervisors. 		
Salary Basis	As a group, 54% of the SLPs received an hourly wage; 36%, an annual salary; and 10%, a per-home-visit payment. Individuals in pediatric hospitals were the most likely group to be paid an annual wage. More than half of the SLPs in general medical, VA, military, and LTAC hospitals and in SNFs received an hourly wage. Nearly half of the SLPs in home health agencies or in clients' homes received a per-home-visit wage ($p = .000$; see Figure 1).		
	Figure 1: Salary Basis		
	General Medical/VA/ Military/LTAC/University		
	Home Health 28% 23% 49%		
	Clinic/Office 45% 49% 6% Hourly		
	Pediatric 59% 41% 0%		
	Rehab 51% 49% 0%		
	SNF 17% 83% 0%		
	0% 25% 50% 75% 100%		
	<i>Note. n</i> = 1,560.		

Note. n = 1,560.

I

Geographic Region


More than one third (40%) of the SLPs worked in the South. The rest were fairly evenly distributed, with 17% working in the West, 20% in the Northeast, and 24% in the Midwest (not shown in any table). The region where SLPs worked varied by facility type (p = .001; see Figure 2). See the state-by-state listings for each geographic region on page 14.





Note. n = 1,469.

Few SLPs worked in rural areas (17%); most worked in either city or urban areas (40%) or suburban areas (43%). Facility type was significantly related to population density (p = .000; see Figure 3).



Note. n = 1,480.

Glossary	In this section, we include a glossary of terms used in the ASHA 2021 SLP Health Care Survey Reports. Respondents self- identified for each of the variables, below.		
Employment Facility	 Facility Type: General medical, Veterans Affairs (VA), military, long-term acute care (LTAC), or university hospital Rehabilitation (rehab) hospital Pediatric hospital Skilled nursing facility (SNF) Home health agency or client's home Outpatient clinic or office Other 		
Employment Function	 Function: Primarily clinical services provider Primarily administrative or supervisory but with some patients Exclusively administrative or supervisory 		
Employment Status	 Employment status: Employed full time Employed part time On leave of absence Not employed but actively seeking employment Not employed and not seeking employment Retired 		
Population Density	 Population density: City or urban area Suburban area Rural area 		

ASHA 2021 SLP HEALTH CARE SURVEY: METHODOLOGY

Regions of the Country

<u>Northeast</u>

- Middle Atlantic
 - New Jersey
 - New York
 - o Pennsylvania
- New England
 - Connecticut
 - o Maine
 - Massachusetts
 - New Hampshire
 - Rhode Island
 - o Vermont

<u>South</u>

- East South Central
 - o Alabama
 - Kentucky
 - Mississippi
 - Tennessee
- South Atlantic
 - Delaware
 - o District of
 - Columbia○ Florida
 - Florida
 - o Georgia
 - Maryland
 - North Carolina
 - South Carolina
 - o Virginia
 - o West Virginia
- West South Central
 - Arkansas
 - o Louisiana
 - o Oklahoma
 - o Texas

<u>Midwest</u>

- East North Central
 - o Illinois
 - o Indiana
 - o Michigan
 - o Ohio
 - o Wisconsin
- West North Central
 - o lowa
 - o Kansas
 - o Minnesota
 - o Missouri
 - Nebraska
 - North Dakota
 - South Dakota

<u>West</u>

- Mountain
 - o Arizona
 - Colorado
 - o Idaho
 - o Montana
 - o Nevada
 - New Mexico
 - o Utah
 - Wyoming
- Pacific
 - o Alaska
 - o California
 - o Hawaii
 - Oregon
 - Washington

ASHA 2021 SLP HEALTH CARE SURVEY: METHODOLOGY

Response Rate	The respons	se rate was calculated using the following equation:
Measures of Central Tendency	RR =	<u>(C + P)</u> S – (Ret + I)
	where	RR=Response rateC=Number of completed surveysP=Number of partial surveysS=Sample sizeRet=Ineligible because of retirementI=Ineligible for other reasons (e.g., does not work in health care, no longer in the field, on leave of absence)
	RR =	$\frac{(1,671)}{10,000 - (123 + 333)} = 17.5\%$
	n	The number of items in a set
	Mean:	Add the total of all values and divide by <i>n</i> .
	Median:	Arrange the values in order, from lowest to highest. Select the value in the middle position.
	Mode:	The value that occurs more often than any other.
	Example:	Sample data set
		1, 1, 7, 34, 88
		Mean: (1 + 1 + 7 + 34 + 88) / 5 = 26.2
		Median: 7
		Mode: 1
	extreme va most comm	edians are more stable and less sensitive to lues than are means, we use medians as the nonly presented statistic in the ASHA 2021 SLP e Survey Reports.

Survey Reports	 We present results from the ASHA 2021 SLP Health Care Survey in a series of reports at <u>www.asha.org</u>: Survey Summary Report: Number and Type of Responses Caseload Characteristics Workforce Practice Issues Annual Salaries Hourly and Per-Home-Visit Wages Survey Methodology, Respondent Demographics, and Glossary
Suggested Citation	American Speech-Language-Hearing Association. (2021). ASHA 2021 SLP Health Care Survey: Survey methodology, respondent demographics, and glossary. www.asha.org .
Resources	 Agresti, A., & Finlay, B. (2008). Statistical methods for the social sciences (4th ed.). Pearson. Dillman, D. A., Smyth, J. D., & Christian, L. M. (2009). Internet, mail, and mixed-mode surveys: The tailored design method (3rd ed.). Wiley.
Additional Information	For additional information regarding the <i>ASHA 2021 SLP Health Care Survey,</i> please contact Monica Sampson, director, Health Care Services in Speech-Language Pathology, 800-498-2071, ext. 5686, <u>msampson@asha.org</u> .
Thank You	ASHA would like to thank the SLPs who completed the <i>ASHA</i> 2021 SLP Health Care Survey. Reports like this one are possible only because people like <i>you</i> participate.
	Is this information valuable to you? If so, please accept invitations to participate in other ASHA-sponsored surveys and focus groups. You are the experts, and we rely on you to provide data to share with your fellow members. ASHA surveys benefit <i>you.</i>
11/1/21	